

# Pre-coated Timber Cladding







## The Company

The Company Vincent Timber is the UK's sole distributor of Sivalbp, a modern production facility based in the South of France.

The facility combines the latest technology in wood processing, with high quality pre-coating preparation and sophisticated environmentally friendly coating methods to produce a range of coated products that are both high performance and aesthetically pleasing.

Many profiles can be secret fixed, avoiding visible nail heads and protecting the integrity of the coating. The company also supplies products for internal as well as external use and profiles can be supplied in a range of surface finishes including smooth, sanded, brushed, fine sawn and planed.

# Production Process



## 1. Drying

Specialist drying to assure perfect moisture for coating application.



## 2. Thermal Treatment (Species specific)

Various specie is thermally treated to enhance durability and stability.



## 3. Automatic Processing

Automatic production line including selection process before machining.



## 4. Profiling

A wide range of profiles are produced from various species, all go through further selection.



## 5. Preparation before coating

After profiling, the material is then either brushed or sanded before coating



## 6. Finishing Line

After being prepared for coating, profiles are processed through a state of the art finishing line.

10 years

## Opaque colours



Blanc pur 400



Sable 402



Galet 403



Argile 406

## Solid colour

Nordic Spruce can be supplied in 8no Opaque colours. Only available in Clavea Profile.

## Nordic Spruce

Opaque coated product comes with a preservative treatment and coating warranty.



Grenat 407



Perle 408




Granit 412



Anthracite 413

## Clavea 21x125



# Species and Coatings

## Elegance to Enhance Nature

Western Red Cedar, Siberian Larch, European Douglas Fir, Thermally Treated Nordic Pine, Siberian Larch and Thermally Treated “Knotless” Pine.

With factory applied coatings to enhance and compliment the natural beauty of various timber species.

Pigmented coatings “Sesame” and “Nature” are applied on specific species to enhance the natural beauty and to protect.

2 to 5 years performance  
(subject to exposure, unless re-coated).

## New Age & “Pre-weathered” Grey

Western Red Cedar, Siberian Larch, European Douglas Fir, Thermally Treated Nordic Pine, Siberian Larch and Thermally Treated “Knotless” Pine.

With a grey ‘pre-weathered’ sacrificial coating to provide these timber species with an even grey look at time of installation, which protects the timber as nature takes over. Minimum 2 years of performance as nature replaces with her weathering (subject to exposure).

## Vintage

Two warm and traditional colours that enhance the natural grain of the coated species.

2 to 5 years performance  
(subject to exposure, unless re-coated).


## Vintage Chocolate

Siberian Larch only

## Vintage Black

Eco Thermo species

Thermally treated Nordic Pine  
Thermally treated Radiata Pine  
and Standard Douglas Fir



Please note the images do not reflect the profiles in their entirety , please contact the sales team to request a sample



# sivalbp<sup>®</sup> Gallery

wood, technology & design

8



# Gallery



**Chanfréa** Horizontal / Vertical (Secret fix)

18f x 140f/130mm Face

**Linéa** Horizontal / Vertical (Secret fix)

20f x 140f/125mm Face

**Soléa** Horizontal / Vertical (Secret fix)

27f x 140f/125mm Face

**Parallélo 30\*** Horizontal / Vertical

20f x 140f/130mm Face

(Minimum order of 3000mm)

**Parallélo 30** Horizontal / Vertical

18f x 65f/60mm Face (Cedar)

27f x 70f/52mm Face (Siberian Larch)

**Clavéa** Horizontal / Vertical (Secret fix)

21f x 140f/125 mm Face

**Tabacoa** Vertical (Secret fix)

27f x 140f/125 mm Face

**Please Note**

1. Sivalbp reserves the right to alter profile dimensions at any time at their discretion. Timber is hygroscopic, this can affect overall dimensions. Please contact our sale team for confirmation of the volumes required for your project.
2. Availability of profiles, finishes and surface effect can vary by species – Please refer to table on page 11 and/or contact our sales office for confirmation when specifying Sivalbp claddings
3. Parallelo profile dimensions vary by species – please refer to table on page 11
4. Illustration purposes only – not to scale

Chanfréa

Linéa


Soléa

Parallélo 30\*

Parallélo 30

Clavéa

Tabacoa



**Availability of profiles/colours can vary by species** – Please contact sales office for confirmation before specifying Sivalbp claddings

**\*Parallélo 30 (140mm Face) minimum order 3000mm**



# UK – Stock Profiles



NAME	SPECIES	SECTION	SURFACE	RANGE	COATING	LENGTHS
<b>Chanfrea (finger jointed)</b>	Cedar	18 x 130 Face	Brushed	New Age Gris	102	4.4m
<b>Solea</b>	Siberian Larch	27 x 125 Face	Brushed	New Age Gris	102	3m / 4m
<b>Linea</b>	Siberian Larch	20 x 125 Face	Brushed	New Age Gris	102	3m / 4m
<b>Linea</b>	Nordic Pine Thermo	20 x 125 Face	Brushed	Vintage Black	Café 106	3.6m to 4.8m
<b>Linea</b>	Nordic Pine Thermo	20 x 125 Face	Brushed	New Age Irise	108	3.6m to 4.8m
<b>Linea</b>	European Douglas Fir	21 x 125 Face	Sanded	Vintage Black	Café 106	3m to 5m
<b>Clavea</b>	Nordic Spruce	21 x 125 Face	Brushed	Argile / Sable / Blanc Pur / Galet		3.9m / 4.2m / 4.5m

## Profiles below are available to order

<b>Parallelo 30 (finger jointed)</b>	Cedar	18 x 60 Face	Brushed	Elegance Sesame New Age Gris	101 102	4.4m
<b>Parallelo 30</b>	Siberian Larch	20 x 130 Face	Brushed	Elegance Nature/New Age Gris/New Age Irise	107/102/108	4.0m (minimum 3000m)
<b>Parallelo 30</b>	Siberian Larch	27 x 52 Face 27 x 52 Face	Brushed	Elegance Nature New Age Gris	107 102	4.0m
<b>Tabacoa</b>	Douglas Fir	27 x 125 Face	Brushed	New Age Gris / Vintage Black / Elegance Sesame	102 / Café 106 / 101	4m
<b>Linea</b>	Siberian Larch	20 x 125 Face	Brushed	Elegance Nature	107	3m / 4m
<b>Linea</b>	Nordic Pine Thermo	20 x 125 Face	Brushed	Elegance Sesame	101	3.6m to 4.8m
<b>Clavea</b>	Nordic Spruce	21 x 125 Face	Brushed	See Page 7		3.9m / 4.2m / 4.5m

**Delivery** – UK stocked profiles - 3 to 7 working days, subject stock unsold. Lengths – subject to availability

**Delivery** – For any order for non-stocked or out of stock profiles - Please contact our sales team for current lead-times

Revision 05/18

**Sole Importer**

Vincent Timber Limited

8 Montgomery Street

Birmingham B11 1DU

Telephone:

0121 772 5511

Fax:

0121 766 6002

Email:

[sales@vincenttimber.co.uk](mailto:sales@vincenttimber.co.uk)

Website:

[www.vincenttimber.co.uk](http://www.vincenttimber.co.uk)

 [@vincenttimber](https://twitter.com/vincenttimber)

